

<b>17</b>	<b>Laboratory Considerations .....</b>	<b>17-1</b>
17.1	Network Laboratory Center.....	17-1
	17.1.1 IMPAACT Laboratory Center.....	17-1
	17.1.2 Westat .....	17-4
17.2	IMPAACT Laboratories.....	17-5
17.3	Protocol-Specified Testing.....	17-6
17.4	IMPAACT Laboratory Network Requirements: US Laboratories .....	17-6
17.5	IMPAACT Laboratory Network Requirements: Non-US Laboratories.....	17-7
	17.5.1 Good Clinical Laboratory Practices (GCLP) .....	17-7
	17.5.2 Protocol-Specific Challenges.....	17-8
	17.5.3 Non-US Laboratory-Related Protocol Activation Requirements .....	17-8
	17.5.4 Protocol Analyte List (PAL).....	17-9
17.6	Laboratory Data Management System (LDMS).....	17-13
17.7	Data Corrections.....	17-13
17.8	External Quality Assurance (EQA) Participation and Proficiency Testing Providers.....	17-14
17.9	Testing Backup Plans .....	17-14
17.10	Instrument and Method Validation .....	17-15
	17.10.1 Change of Test Method/Kit/Instrument Mid-Protocol .....	17-16
	17.10.2 Registrational and IND Studies .....	17-16
17.11	Management and Testing Plans .....	17-16
17.12	Shipping Capabilities .....	17-17
17.13	Specimen Shipping.....	17-17
	17.13.1 Shipping Frequency and Monitoring .....	17-17
	17.13.2 Specimen Label Requirements .....	17-17
	17.13.3 Shipping Box Requirements .....	17-18
17.14	Specimen Archive and Destruction.....	17-18
17.15	National Approval Requirements and Material Transfer Agreements.....	17-19
17.16	IMPAACT Quality Assessment Monitoring .....	17-20
	17.16.1 Laboratory Monitoring by DAIDS .....	17-20
	17.16.2 Laboratory Monitoring by IMPAACT .....	17-20
17.17	Introduction of Novel/Non-Standard Analytes into IMPAACT Studies .....	17-20
17.18	Changes in Laboratory Personnel .....	17-23
17.19	Laboratory Relocation.....	17-23
17.20	Additional Resources .....	17-24

## **17 LABORATORY CONSIDERATIONS**

### **17.1 Network Laboratory Center**

The Network Laboratory Center (NLC) consists of the IMPAACT Laboratory Center (ILC) and Westat. The ILC provides oversight to site laboratories and IMPAACT specialty laboratories sponsored by the National Institute of Allergy and Infectious Diseases (NIAID). Westat manages the oversight of laboratories supported by the *Eunice Kennedy Shriver* National Institute of Child Health and Human Development (NICHD).

#### **17.1.1 IMPAACT Laboratory Center**

The ILC is affiliated with the University of California Los Angeles (UCLA), in Los Angeles, California. The ILC is responsible for the oversight of laboratory activities associated with the conduct of IMPAACT protocols at both United States (US) and non-US sites. The ILC is comprised of the IMPAACT Laboratory Center Principal Investigator (PI) and other personnel involved in the quality assurance (QA)

oversight of IMPAACT laboratories participating in Division of AIDS (DAIDS)-sponsored clinical trials within the IMPAACT Network.

The ILC oversees and coordinates three types of laboratories that are distinguished by the types of assays they perform, their regulatory requirements, and their funding mechanisms. These include Site, Specialty, and Focus Laboratories. There are also multiple partners affiliated with IMPAACT and the ILC. These types of laboratories and affiliated groups are described in Table 17-1.

**Table 17-1. Types of Laboratories and Groups Affiliated with IMPAACT**

Laboratory Types	Description
Specialty Laboratories*	<ul style="list-style-type: none"> <li>Focus on supporting and advancing IMPAACT’s research agenda through the development and validation of novel and unique assays and/or the application of standard assays to probe pathogenic mechanisms</li> <li>IMPAACT currently supports Specialty Laboratories in the areas of HIV pathogenesis and pharmacology</li> </ul>
Focus Laboratories (FLs)*	<ul style="list-style-type: none"> <li>Funded on a contractual basis to support specific, unique assays that are not available at a funded Site or Specialty Laboratory, but are necessary to support the activities of IMPAACT trials</li> </ul>
Site Laboratories*	<ul style="list-style-type: none"> <li>Perform routine study assays, such as hematology, chemistry, HIV RNA and DNA, ARV resistance testing, CD4 cell enumeration, etc.</li> </ul>
Network Laboratories Centers (NLCs)	<ul style="list-style-type: none"> <li>All DAIDS-sponsored clinical trials Networks are led by PIs whose personnel oversee the QA of the non-US laboratories participating in DAIDS-sponsored clinical trials</li> <li>The NLC for IMPAACT consists of the ILC and Westat. The ILC provides oversight to site laboratories sponsored by NIAID and IMPAACT specialty laboratories. Westat manages the oversight of laboratories supported by NICHD.</li> </ul>
Primary Network Laboratory (PNL)	<ul style="list-style-type: none"> <li>DAIDS NLC assigned to specific non-US laboratories has primary responsibility for communications with that laboratory</li> <li>Each PNL may have an assigned contact person and/or a PNL email address (e.g., <a href="mailto:impaact.gaqc@fstrf.org">impaact.gaqc@fstrf.org</a>) to facilitate communication</li> <li>Non-US laboratories have been instructed to direct all queries and requests for assistance to their PNL contact. Multiple networks may rely on the services of a particular non-US laboratory. It is the responsibility of the assigned PNL for communicating all laboratory-relevant information to the other NLCs, which may utilize these shared services.</li> <li>A list of the PNL assignments can be found on the Office of HIV/AIDS Network Coordination (HANC) website at: <a href="https://www.hanc.info/resources/sops-guidelines-resources/laboratory/primary-network-laboratory-assignments.html">https://www.hanc.info/resources/sops-guidelines-resources/laboratory/primary-network-laboratory-assignments.html</a>.</li> </ul>
Cross-Network Laboratory Focus Group (LFG)	<ul style="list-style-type: none"> <li>Comprised of members from DAIDS-funded networks: ACTG, HPTN, HVTN and IMPAACT</li> <li>Individuals from Westat, who represent NICHD-sponsored IMPAACT sites, also participate in this group</li> <li>Receives support from HANC for cross-network laboratory activities</li> <li>Activities include communication processes for critical information across NLCs; standardized QA practices across networks; and harmonization of laboratory processes and procedures to increase efficiency, especially at the shared laboratory sites</li> </ul>

**Table 17-1. Types of Laboratories and Groups Affiliated with IMPAACT**

Laboratory Types	Description
DAIDS Clinical Laboratory Oversight Team (DCLOT)	<ul style="list-style-type: none"> <li>• Comprised of DAIDS staff members who serve as laboratory points-of-contact to the DAIDS-funded networks</li> <li>• Mission is to harmonize laboratory-related guidelines and requirements for establishing new laboratories; ensure that protocols are conducted in accordance with GCLP; provide central guidance in clinical laboratory matters to various DAIDS entities; and optimize the contribution of DAIDS laboratory-related support contracts to network laboratories</li> </ul>
Regionally Qualified Labs (RQLs)	<ul style="list-style-type: none"> <li>• Laboratories that may be used to centrally perform testing (e.g., genotyping resistance testing) to reduce resource burden on clinical laboratories within the IMPAACT Network</li> <li>• Assays can include routine or specialty assays as needed to support IMPAACT studies</li> </ul>
Laboratory Directors Group (LDG)*	<ul style="list-style-type: none"> <li>• Comprised of IMPAACT Specialty Laboratory Directors</li> <li>• Primary objective of the LDG is to exchange ideas and identify scientific opportunities</li> <li>• Meets periodically via conference calls and during the IMPAACT annual meeting</li> </ul>

\*ILC oversees these laboratories.

Scientific progress by the specialty and focus laboratories is periodically reviewed in conjunction with the ILC PI, representatives from the IMPAACT Scientific Leadership Group (SLG), and external advisors, as needed.

The ILC works closely with the AIDS Clinical Trials Group (ACTG)/IMPAACT Laboratory Technologists Committee (LTC), the ACTG Laboratory Center PI, and the Cross-Network Laboratory Focus Group (LFG) via HANC to harmonize IMPAACT laboratory policies and procedures with those of the ACTG, other NIAID networks, and NICHD. Site laboratory training and support will be coordinated with the Patient Safety Monitoring in International Laboratories (pSMILE), other external QA (EQA) providers, and DCLOT. In addition, collaborations with and participation by Specialty Laboratory Directors and other IMPAACT Scientific Committees are sought as appropriate.

The ILC is responsible for the following activities for IMPAACT studies:

- Identifying and facilitating the implementation of state-of-the-art assays and technologies to advance IMPAACT’s scientific agenda through leveraging the capabilities of specialty, focus, and contract laboratories.
- Working with protocol teams to ensure appropriate regulatory compliance for all laboratory tests.

The ILC is responsible for the following activities for site laboratories sponsored by NIAID:

- Providing oversight of Network laboratories responsible for the collection, testing, and reporting of clinical trial results from biological specimens.
- Maintaining clinical laboratory documents using an electronic document management system and database.
- Assisting in the development and QA assessment of local laboratory capacity at the Clinical Trials Units (CTUs) participating in IMPAACT studies.
- Reviewing and providing guidance on validation reports for new assays or laboratory equipment used in trials.

- Tracking regulatory and QA documentation for all laboratories affiliated with NIAID and CTUs sponsored by IMPAACT.
- Preparing international (non-US) NIAID-supported laboratories to implement specific IMPAACT studies.
- Confirming that all laboratory testing in support of IMPAACT clinical trials meets the DAIDS requirements, including generating and overseeing study-specific Protocol Analyte Lists (PALs) and DCLOT laboratory approval.
- Working with protocol team members to develop, coordinate, or identify laboratory training(s) and materials.
- Conducting laboratory visits and assessing laboratory capabilities, if needed, to conduct IMPAACT studies.
- Liaising with EQA providers, vendors, and DAIDS contractors.
- Providing continuous monitoring of laboratory performance throughout the duration of IMPAACT studies.
- Overseeing all NIAID-sponsored laboratories by performing ongoing review of Quality Assurance/Quality Control (QA/QC) and proficiency testing. Deficiencies, deviations, and poor performance on proficiency testing that cannot be resolved, or serious breaches of Good Clinical Laboratory Practice (GCLP), will be brought to the IMPAACT Network Leadership, if applicable, as they are identified.

### **17.1.2 Westat**

In coordination with the ILC, Westat is directly responsible for NICHD-supported laboratories. Westat conducts the following tasks associated with their responsibility:

- Providing oversight of NICHD-supported laboratories responsible for the collection, testing, and reporting of clinical trial results from biological specimens.
- Tracking of regulatory and QA documentation for all laboratories affiliated with NICHD CTUs sponsored by IMPAACT.
- Preparing international (non-US) NICHD laboratories to implement specific IMPAACT studies.
- Confirming that all laboratory testing in support of IMPAACT clinical trials meets the DAIDS and ILC laboratory requirements, including study-specific PALs and DCLOT laboratory approval.
- Conducting laboratory visits and assessing laboratory capabilities to conduct IMPAACT studies.
- Liaising with EQA providers, vendors, and DAIDS contractors. This includes oversight of NICHD laboratories and performing ongoing review of QA/QC and proficiency testing. Deficiencies, deviations, and poor performance on proficiency testing that cannot be resolved, or serious breaches of GCLP, will be brought to NICHD by the Westat Laboratory Specialists as they are identified.
- Providing continuous monitoring of laboratory performance throughout the duration of IMPAACT studies.

## 17.2 IMPAACT Laboratories

The following section applies to all laboratories affiliated with the IMPAACT Network or any study being performed under the guidance of the ILC. Information on policies and standard procedures related to requirements for DAIDS-supported laboratories and specimens derived from DAIDS-supported and/or -sponsored clinical trials are available at:

<https://www.niaid.nih.gov/research/daids-clinical-research-laboratory-specimens-management>

All laboratories affiliated with the IMPAACT Network are required to adhere to standards of DAIDS GCLP and local Standard Operating Procedures (SOPs) for proper collection, processing, labeling, transportation, and storage of laboratory specimens. The clinical research site (CRS) and CTU laboratories should also have in place a well-defined Quality Management Plan (QMP) that comprehensively covers specimen management issues, including specimen acquisition, tracking, processing, storage, backup plans (e.g., instrumentation, staffing, and equipment), assay validations, and aspects of quality assessment and QC.

The [Requirements for DAIDS Funded and/or Sponsored Laboratories in Clinical Trials Policy](#) cover required quality assessment activities for the laboratory and laboratory QC, including handling of reagents and conducting of assays. References for applicable US federal and international regulations are also included.

In accordance with DAIDS policy, all laboratory tests used for: 1) safety monitoring (e.g., hematology and chemistry); 2) patient management decisions (e.g., drug levels); 3) protocol eligibility (e.g., pregnancy tests); 4) primary study endpoints (e.g., HIV RNA); or 5) diagnosis (e.g., HIV, CMV, syphilis, and hepatitis B), must:

- Be performed in a GCLP-compliant laboratory:
  - If in the US, must be accredited by Clinical Laboratory Improvement Amendments (CLIA) or state equivalent and certified by the College of American Pathologists (CAP) or equivalent organization
  - For non-US laboratories, International Standardization Organization (ISO) 15189 compliance is suggested
- Meet DAIDS requirements, including age- and sex-appropriate reference ranges for study populations, verification studies for the US Food and Drug Administration (FDA)-approved tests, and validation studies for non-FDA-approved tests
- Be quality assured using DAIDS-approved EQA programs, or if not available, alternate proficiency assessments must be approved by DAIDS and the ILC
- Successfully pass at least one round of EQA for each clinical analyte to be tested as part of an IMPAACT clinical trial and satisfy all other Network-specific requirements **prior** to testing in the conduct of an IMPAACT clinical trial. Demonstrate ongoing successful performance in EQA programs for all study analytes using metrics as determined by the DAIDS EQA providers, (i.e., pSMILE, Virology Quality Assurance (VQA), Immunology Quality Assessment (IQA), Clinical pharmacology Quality Assurance (CPQA) and Mycobacterium Tuberculosis Quality Assessment Program (TBQA).

The compilation of these criteria, which include **Safety**, **Patient management**, **Eligibility**, **Primary Endpoints** and **Diagnosis**, are referred to as **SPEED** criteria.

### 17.3 Protocol-Specified Testing

Each protocol team determines the laboratory procedures, assays, and analytic approaches in accordance with the protocol-specified aims of the study. All protocol teams have an ILC representative assigned to ensure that proposed analytes and procedures are feasible and meet the DAIDS regulatory requirements as outlined below. Inclusion in the early stage of protocol development provides the ILC with lead time to ensure that proposed testing methods are available, meet regulatory requirements and, if not, work with DAIDS and others to develop appropriate plans to ensure compliance. The protocol team determines which laboratory assays are required including those pertaining to primary, secondary, and/or exploratory endpoints. Studies may also be conducted in research-relevant geographic regions, which may be reflected in specific sites being selected for participation. The ILC may be asked to determine the study-specific testing capabilities of a site laboratory and assist in exploring options to ensure protocol-specific testing can be performed.


Protocol teams have an LTC member assigned to prepare a Laboratory Processing Chart (LPC) that outlines the specimen collection, processing, and shipping requirements for the study. The analytes required by the protocol and LPC are reflected in the study-specific PAL. Some IMPAACT studies have an accompanying manual of procedures (MOP) that is developed for a specific study, which may contain supplemental information and instructions related to laboratory procedures that need greater detail than what is included in the LPC.

### 17.4 IMPAACT Laboratory Network Requirements: US Laboratories

All laboratories located within the US (i.e., domestic laboratories) are required to provide the ILC (NIAID-sponsored laboratories) or Westat (NICHD-sponsored laboratories) with documentation that verifies their current abilities to conduct study-specific testing prior to the site/laboratory being activated, as shown in Figure 17-1. This documentation should include current copies of:

- Appropriate accreditations and certifications (e.g., CLIA and CAP) for all laboratories performing protocol assays
- Approval by the IQA and satisfactory performance in the EQA program prior to laboratory activation should viable peripheral blood mononuclear cells (PBMCs) be required for the protocol
- Attestation from the Laboratory Director and/or Investigator of Record (IoR) or designee that:
  - Appropriate numbers of staff have current International Air Transport Association (IATA) or Department of Transportation (DOT) training
  - Site staff have participated in the requisite protocol-specific training
  - Appropriate numbers of staff have received CPQA certification, if required by the protocol
- It is the IoR/Laboratory Director's responsibility to ensure that the documentation confirming their attestation is readily available for inspection (e.g., IATA certifications for at least two staff members throughout the protocol duration).

**Figure 17-1. Domestic (US-based) Laboratory Approval**



## 17.5 IMPAACT Laboratory Network Requirements: Non-US Laboratories

### 17.5.1 Good Clinical Laboratory Practices (GCLP)

IMPAACT requires that each laboratory perform IMPAACT protocol testing in a manner that meets protocol sponsors’ requirements as well as that of the Network. All laboratories should perform testing and conduct operations to meet GCLP standards at a minimum. Adherence to GCLP standards ensures consistent, reproducible, reliable, and auditable laboratory results.

For additional information on GCLP (including recommended GCLP training), refer to the DAIDS Clinical Research Policies and Standard Procedures Documents website:

<https://www.niaid.nih.gov/research/daids-clinical-research-policies-standard-procedures>

DAIDS and/or its contracted Laboratory Monitoring Group (LMG; currently PPD) will conduct regular laboratory audit visits to determine laboratory adherence to GCLP standards. Each laboratory will be notified of a pending audit and will confirm the dates of the audits with the LMG. The length and duration of these audits are determined by the scope of testing conducted at the laboratory. After the audit, the laboratory will receive an audit report and Action Plan (AP). The AP is reviewed by each affiliated NLC – for IMPAACT, this is the ILC for NIAID-supported sites and Westat for NICHD-supported sites – to determine which items, if any, are deemed critical to the respective network.

Laboratories are expected to resolve audit report findings within 90 days following receipt of the DAIDS audit report and associated AP. The laboratory will work with DAIDS, pSMILE, and applicable NLC, as needed, to resolve the audit report findings. Unless DCLOT grants an exemption, all findings on the AP must be satisfactorily addressed prior to laboratory activation.

### 17.5.2 Protocol-Specific Challenges

DAIDS requires that laboratories address all protocol-specific challenges prior to beginning testing in support of IMPAACT protocols. These challenges include (but are not limited to): specialized or non-standard EQA testing, validation and/or verification of new equipment/assays (for non-US laboratories), and specialized training. The laboratory will work with ILC (NIAID) or Westat (NICHD) to make sure these challenges have been adequately addressed.

Laboratories must perform testing in accordance with the version of the protocol and any Letters of Amendment (LoAs) that are currently Institutional Review Board (IRB)-approved at their CRS. Minor LPC updates not related to a protocol version change or LoA should be implemented immediately. Protocols and related study documents, such as LPCs and LoAs, are posted on the IMPAACT website:

<https://www.impaactnetwork.org/>

### 17.5.3 Non-US Laboratory-Related Protocol Activation Requirements

Prior to site implementation, the ILC (NIAID) or Westat (NICHD) works with each site laboratory to confirm laboratory readiness for non-US laboratories. The following are part of the IMPAACT laboratory-specific study activation requirements:

- Completion and DCLOT approval of a study-specific PAL
- Confirmation of successful proficiency testing performance for all study analytes
- Confirmation of appropriate validation and/or verification for protocol-specified assays and instruments
- Confirmation of compliant local laboratory backup arrangements
- Laboratory Director's curriculum vitae (CV) (one time only, unless the Director has changed)
- Approval by the IQA and satisfactory performance in the EQA program prior to laboratory activation should viable PBMCs be required for the protocol
- Receipt of an appropriate study-specific HIV testing algorithm for infant and/or adult participants
- Receipt of a protocol-specific Specimen Flow Chart
- Successful completion of all relevant outstanding Investigation Reports (IRs) for all study analytes
- Completion of all relevant Action Items from the most recent DAIDS-contracted Laboratory Audit
- Confirmation of documentation to allow export of specimens to the testing laboratories or repositories as required by the protocol (i.e., Material Transfer Agreements [MTAs], Specimen Transfer Agreements [STAs], regulatory permit, etc.)
- Signed attestation by the IoR/Laboratory Director or their designee confirming:
  - Appropriate numbers of staff have IATA specimen shipping certifications
  - Staff have participated in all required protocol-specific trainings including CPQA certification, if required
  - All required staff have completed GCLP training

All laboratory testing is expected to be conducted using FDA-approved methods and kits, as appropriate and available. The use of non-FDA approved test methods will be reviewed by the ILC on a case-by-case



basis in consultation with DCLOT, the Network, and EQA providers to determine if additional assay validation requirements may be needed.

As described in Section 11.2.8, laboratory-related activation requirements for each study are outlined by the ILC on template laboratory activation checklists, for US and international laboratories. The completed laboratory activation checklists are approved by DCLOT for laboratory activation for each study. Upon completion of all study-specific laboratory activation requirements, the ILC (NIAID) or Westat (NICHD) notifies the laboratory, relevant site staff, and the IMPAACT Operations Center contact.


#### **17.5.4 Protocol Analyte List (PAL)**

Prior to site laboratory activation, each non-US site laboratory must submit a PAL for review, which includes the names of the processing and testing laboratories, the methodology, FDA approval status and EQA procedures used for each analyte, and any backup laboratories. Serial numbers as well as the FDA or CE status of each instrument and/or assay must be included in the PAL so that validations and proficiency testing can be tracked. The ILC (for NIAID sites/labs), Westat (for NICHD sites/labs), and representatives from DCLOT (for both NIAID and NICHD sites/labs) carefully review each PAL to ensure it accurately reflects the protocol-specific testing requirements. The PAL also captures information provided by the site laboratory about the protocol-specific specimen management and testing workflow.

The ILC and Westat are responsible for developing a protocol-specific PAL template for each protocol based on the current master PAL template provided by DCLOT and posted on <https://psmile.org/index.cfm>. The PAL template may be distributed by the ILC (through the MiPAL system) or Westat (as a spreadsheet). The purpose of the MiPAL system is to facilitate and expedite the completion, review, and approval process for the PAL in a web-based format. Through the use of the MiPAL system, the site-associated laboratories can submit their PAL data along with supporting assay and laboratory documents. NIAID sites and designated laboratories can complete their assigned MiPALs online in the MiLab system. The MiLab User Manual and instructions to request access are available in the MiPAL Site User Guide in the Training Materials and Resources on the IMPAACT website: <https://www.impaactnetwork.org/resources/manual-procedures>. NICHD sites and designated laboratories can complete their assigned PALs, using the Westat-provided spreadsheet.

Depending on the site affiliation, the ILC (NIAID sites) or Westat (NICHD sites) will be responsible for distributing the protocol-specific MiPALs/PALs for completion to sites/laboratories that have been approved to participate in a given study (see Figure 17-2). The site will submit the completed MiPAL/PAL to either the ILC or the Westat representative for initial review and subsequent review and finalization by DCLOT (see Figure 17-3). Following finalization of the PAL, the completed PAL, along with the associated documents (e.g., Specimen Flow Chart, HIV Algorithm, EQA Summary and Schedule for Primary and Backup Laboratories, and Completed and Signed Laboratory Activation Checklist) will be sent to DCLOT for additional review and final laboratory approval. DAIDS-reviewed PALs are returned to the submitting laboratories; all finalized PALs are posted to the pSMILE website and copies are maintained by the ILC within the MiPAL system and by Westat.

Figure 17-2. PAL Distribution



Laboratories must submit updated PALs for review whenever testing methods, instrumentation, or backup testing plans change. Laboratories must receive approval from the ILC (NIAID sites) or Westat (NICHD sites) and DCLOT prior to implementing the new testing methods or instrumentation or adding a new laboratory (see Figure 17-4).

**Figure 17-3. PAL Review and Study-Specific Laboratory Approval Process**





Figure 17-4. Non-US Laboratory Approval



## 17.6 Laboratory Data Management System (LDMS)

IMPAACT uses the LDMS for IMPAACT studies to assist with specimen data collection, generating specimen labels, specimen storage, and entry of results for certain assays. For each study, the LPC indicates which specimens are to be stored locally and which are to be shipped for testing or for storage at the central repositories. IMPAACT laboratories are required to use the LDMS Storage, Shipment, and Export modules for all Network clinical specimens that will be stored or used for research laboratory assays. Laboratories using LDMS for Windows are expected to export at least once per week.

LDMS is managed by the IMPAACT Data Management Center (DMC) at Frontier Science Foundation. Information on LDMS is available at <https://www.ldms.org>.

Laboratories have access to LDMS preloads (also called quick add templates) for most IMPAACT protocols. The use of LDMS preloads for available protocols makes it easier for laboratory staff to enter specimens into LDMS by pre-populating the specimen entry screen with expected specimens. Laboratories are required to log all expected specimens for a visit into LDMS, and then use the appropriate condition codes and comments to document when expected specimens are not available and update any preloads with the observed data.

IMPAACT laboratories that process viable PBMCs are required to use the LDMS Specimen Management and Storage modules to provide information on specimen processing and storage conditions for all logged PBMC specimens. The following additional fields are required for all viable PBMCs:

- Processing date
- Processing time
- Processed by tech initials
- Frozen time

Additional information about entering PBMC specimen information into LDMS is available via the following online tutorial as part of FSTRF Films: <https://www.ldms.org/training/videos/>.

IMPAACT laboratories performing assays that are supported by LDMS are required to submit those assay results using LDMS.

## 17.7 Data Corrections

The DMC sends queries to processing and testing laboratories to inquire about data discrepancies or missing data. IMPAACT laboratories are required to resolve and respond to DMC queries within two weeks. Site laboratories make specimen inventory corrections within LDMS, adding aliquot comments in LDMS to document the date, responsible staff, and reason for correction. Testing laboratories submit corrected data to the DMC through the same mechanism used for the initial data submission.

It is very important that site processing laboratories communicate data corrections made on shipped specimens with shipment recipients such as repositories and testing laboratories. If participant identification number (PID) errors are identified on shipped specimens, site laboratories are asked to notify the laboratory data manager (LDM) for approval before making corrections. Relabeling is generally not recommended except to correct PID errors on non-viable specimens.

## 17.8 External Quality Assurance (EQA) Participation and Proficiency Testing Providers

Proficiency testing programs, also referred to as EQA programs, are used as an external check on the QC and quality assessment of a test system.

Laboratories are required to participate in proficiency testing programs for each test performed in the laboratory. Non-US laboratories participating in IMPAACT studies must participate in the appropriate proficiency panels provided by pSMILE, the IQA, the VQA, and the CPQA program for pharmacology testing, as well as other approved proficiency testing providers. Panels are sent to the sites based on the assays performed for the specific IMPAACT study in which the site is participating.

Laboratories work directly with each EQA provider to ensure that the appropriate testing panels have been ordered and are being tested by the laboratory. The ILC (NIAID) or Westat (NICHD) will work with the various EQA providers to assist laboratories with any issues or problems with proficiency testing results, and work in collaboration with other NLCs and the site laboratory to monitor the follow up and resolution of corrective actions, as needed. IMPAACT Network Pharmacology Specialty laboratories coordinate with the CPQA on review of their assay validation plans, SOPs, and associated EQA.

Prior to study activation, the laboratory needs to pass one round of proficiency testing. Once a site is participating in a study, proficiency testing continues on a regular schedule and satisfactory performance is monitored for each of the DAIDS EQA programs.

For additional information on DAIDS-approved EQA providers, please refer to the DAIDS Requirements for Non-US Laboratories websites:

<https://www.niaid.nih.gov/research/daids-clinical-research-policies-non-us-labs>  
<https://psmile.org/index.cfm>

## 17.9 Testing Backup Plans

IMPAACT requires all laboratories to establish/identify a backup testing plan (i.e., a second instrument or alternative laboratory) for all protocol testing that meets SPEED criteria. Laboratories must identify a testing backup for each analyte (or instrument) tested for a particular protocol to ensure that protocol testing is not interrupted due to an instrument or laboratory issue. For non-US laboratories, this information is to be included in the PAL.

- All backup instruments or laboratories should either participate in EQA programs or have documented comparison testing performed between the primary and backup instruments to ensure integrity of testing.
- When a laboratory does not meet the minimum requirements for testing specimens based on their EQA results, it is necessary for them to use the backup laboratory as defined by their approved PAL (see Figure 17-5).
- More information regarding establishment of backup laboratories for DAIDS sponsored sites is available in the *Guidelines for the Development of Plans for Back-Up Labs* available at <https://www.hanc.info/resources/sops-guidelines-resources/laboratory.html>

**Figure 17-5. Moving to Backup Status**

Failure of EQA
<ul style="list-style-type: none"><li>• Determined by the various DAIDS approved EQA providers</li></ul>
Move to Backup Status
<ul style="list-style-type: none"><li>• As defined by the PAL (Submit updated PAL if changes are required)</li></ul>
Re-qualify Assay
<ul style="list-style-type: none"><li>• Work with pSMILE/IQA/VQA and the ILC (NIAID) / Westat (NICHD)</li></ul>
Return to use of Primary Testing Laboratory
<ul style="list-style-type: none"><li>• After passing requisite EQA panels and upon approval by ILC (NIAID) / Westat (NICHD)</li></ul>

All laboratories must perform internal investigations for any EQA performance that is less than satisfactory. This process includes the timely submission of an IR form. The IR process will be facilitated by the IQA, VQA, pSMILE, protocol teams, or either the ILC (NIAID) or Westat (NICHD). Unless otherwise stated on the IR form, the laboratory should complete an IR within 30 days.

### **17.10 Instrument and Method Validation**

DAIDS and IMPAACT require laboratories to perform validation: a) prior to implementing a new method or instrument into routine use; b) whenever the conditions change for which the method/instrument has been validated; or c) if the change is outside the original scope of the method/instrument. Validation testing should include diagnostic accuracy, precision, sensitivity, specificity, linearity, and reference range.

Each laboratory should prepare a validation plan for the new method/instrument that will be established. Validation should be submitted to the appropriate DAIDS EQA provider(s) (i.e., IQA, VQA, etc.) for review. Validations requiring pSMILE review should be submitted through the MiLab system (for NIAID-sponsored sites) or NICHD Laboratory Specialist inbox (for NICHD-sponsored sites) for screening and then forwarded to pSMILE by the ILC or Westat. In some cases, the ILC or EQA provider may work with the laboratory in advance to establish a validation plan. Once the DAIDS EQA providers have deemed a validation complete, the ILC (NIAID) or Westat (NICHD) will approve use of that instrument/method for IMPAACT clinical trial testing.

Resources on performing method/instrument validations are available in the NIH/NIAID/DAIDS GCLP guidelines at <https://www.niaid.nih.gov/research/daids-clinical-research-laboratory-specimens-management>.

Resources are also available at the pSMILE website at: <http://resources.psmile.org/resources/equipment>.

### 17.10.1 Change of Test Method/Kit/Instrument Mid-Protocol

Any change of test method, kit, or instrument after a trial has begun enrolling (aka mid-protocol) is not encouraged for IMPAACT laboratories. If a change in method/kit/instrument amidst protocol testing cannot be avoided, IMPAACT laboratories should notify the ILC (NIAID) or Westat (NICHD) representatives of a planned change in testing method/kit/instrument mid-protocol **before** implementing the change. This notification should include documentation to support the change:

- A summary of any validation performed for the method/kit/instrument as outlined above.
- A written summary of the comparison between methods/kits/instruments which addresses the reason for the change, information on methods/kits/instruments compared, summary of study results, and conclusion of the study.
- Demonstration of successful EQA performance using new method/kit/instrument. Prior to implementing a new method/kit/instrument, IMPAACT laboratories should demonstrate successful EQA performance using the new method/kit/instrument. Please refer to Section 17.8 on EQA for additional information.
- A validation should be completed prior to implementing a new method/kit/instrument.
- Any change in testing method/kit/instrument should be recorded as an update to the PAL. The updated PAL must be sent to the ILC or Westat and approved by DCLOT prior to the change(s) being implemented.

Please refer to the section above on instrument and method validation for additional information.

### 17.10.2 Registrational and IND Studies

For registrational studies for which DAIDS is the Sponsor and for selected other studies, documents are collected as determined by the DAIDS electronic trial master file (eTMF) study-specific index.

### 17.11 Management and Testing Plans

In accordance with IMPAACT requirements, all laboratories performing IMPAACT protocols should have a Specimen Management Plan, a laboratory Data Management Plan, and a laboratory QMP.

- The Specimen Management Plan should describe specimen acquisition, recording, testing, storing, and shipping, including specimen flow charts for specific protocols, QA oversight, and corrective action procedures.
- The Data Management Plan should describe the systems and processes for acquisition, data entry, recording, exporting, reporting, modification, security, and archiving of laboratory test results. The plan should describe the QA oversight and corrective actions, as well as, how all laboratory test results will be integrated into the general protocol database. Testing laboratories sending external data transfers to the DMC outside of electronic case report forms/LDMS (e.g., sending an Excel spreadsheet through the Data Submission System (DSS) on the DMC portal website) shall establish Data Transfer Agreements (DTAs) with the DMC that define the data format, content, and submission timeline.
- The laboratory QMP should describe the overall QA/QC systems in place for clinical trial testing within the laboratory. For additional information on QMPs, please refer to the DAIDS Requirements for Non-US Laboratories and the pSMILE websites:

<https://www.niaid.nih.gov/research/daids-clinical-research-policies-non-us-labs>



<https://resources.psmile.org/resources/documents-and-records/quality-management-plans/guideline-for-development-of-a-quality-management-plan/view>

## 17.12 Shipping Capabilities

IMPAACT requires that laboratories maintain international shipping capabilities in accordance with IATA regulations and additional local country requirements. This includes adherence to International Civil Aviation Organization (ICAO)/IATA and Department of Transportation (DOT) regulations on Category A/B shipments and shipping supplies.

Laboratories need to be capable of shipping required protocol specimens to facilities as outlined in each protocol LPC, which is available on the IMPAACT website. Laboratories must have the capacity to use LDMS to create the required shipping documents and files.

## 17.13 Specimen Shipping

IMPAACT requires laboratories to adhere to the shipping guidelines established in the ACTG/IMPAACT Laboratory Manual when shipping IMPAACT protocol specimens. Details on shipping requirements for IMPAACT are available in the ACTG/IMPAACT Laboratory Manual at:

<https://www.hanc.info/labs/labresources/procedures/Pages/actgImpaactLabManual.aspx>

### 17.13.1 Shipping Frequency and Monitoring

Shipments to the NIAID (BRI) and NICHD (Fisher) repositories must be prepared and shipped per the shipping instructions posted on the HANC and/or IMPAACT websites, including the protocol-specific LPC.

- NIAID/BRI: <https://fredhutch.hosted.panopto.com/Panopto/Pages/Viewer.aspx?id=99785bad-d033-4349-bb37-ac46016a3893>. Shipments to BRI will be evaluated according to the procedures described in the Shipment Evaluation SOP [LTC SOP 073].
- NICHD/Fisher: [https://www.hanc.info/content/dam/hanc/documents/laboratory/misc-/NICHD%20Repository%20Shipping%20SOP%206.0\\_Final\\_12Jul2022.pdf](https://www.hanc.info/content/dam/hanc/documents/laboratory/misc-/NICHD%20Repository%20Shipping%20SOP%206.0_Final_12Jul2022.pdf). Shipments to Fisher will be evaluated according to the procedures described in the NICHD Repository Shipping SOP (V.6).

Shipments to testing laboratories must be sent as instructed in the LPC or as requested by the LDM. When requesting specimen shipments, LDMs will provide a letter of instructions and a detailed listing of specimens that need to be shipped, if applicable. Laboratories should notify the LDM if they will not be able to ship according to the time frame defined in the LPC or in the specimen request letter.

### 17.13.2 Specimen Label Requirements

Specimens must be uniformly labeled according to an LDMS-specified format, which requires a computer-generated label that contains IMPAACT-specified identifiers and a barcode. All processing sites/laboratories must use LDMS to generate labels. However, under emergency conditions, legible hand-labeled specimens will be accepted, provided that the specimens are accompanied by the LDMS-generated electronic shipping file.

All specimen labels must include:

- PID
- Global Specimen ID (for specimen dates after 1 September 2005; not required for handwritten specimen labels)
- Protocol Number
- Specimen Date
- Primary/Additive/Derivative/Sub-Add-Der
- Specimen Time (24 hour)
- Two-dimensional LDMS-generated Barcode (for specimen dates after 1 October 2008)

Both the LDMS-generated electronic shipping file and storage boxes must be labeled with the batch number(s), protocol number(s), laboratory LDMS number, and clinic site number. Multiple boxes can be put into the same shipping batch and on a single electronic file.

Processing sites/laboratories will QC all specimen labels, whether computer generated or handwritten, to ensure they are legible, complete, and can be read at the NIAID (BRI) or NICHD (Fisher) repositories and protocol testing laboratories. Each label is to be scanned into LDMS prior to packing the shipment, with the exception of PBMCs, as the labels should be scanned prior to labeling the specimen tube.

### 17.13.3 Shipping Box Requirements

Laboratories should send  $-70^{\circ}\text{C}$  full boxes when possible to the designated repository in order to avoid unnecessary specimen manipulation associated with re-packaging and consolidating boxes at the repository. Before shipping, laboratories need to check and confirm that the box positions of all specimens match the box positions assigned in LDMS and shown on all the shipping documents.

Laboratories may ship specimens from multiple protocols (designated for storage in  $-70^{\circ}\text{C}$  freezers) together to the designated repository in the same freezer storage box.

IMPAACT CRS laboratories that are conducting protocol testing for both the ACTG and IMPAACT networks **may not** ship ACTG and IMPAACT specimens together in the same shipment to BRI for specimen storage.

### 17.14 Specimen Archive and Destruction

IMPAACT will periodically evaluate completed studies to determine whether specimens should be archived for long-term storage or destroyed. The ILC and Repository Advisory Group (RAG) coordinator or designee will initiate this review once a study is *Concluded*, per the DAIDS Study Status definition, or approximately two years following the study status of *Participants Off Study & Primary Analysis Completed (POS-PAC)*. The ILC/RAG will generate a protocol status report of eligible studies that meet the timeline for evaluation, and coordinate with the DMC Laboratory Data Division Chief, or designee, to confirm if specimens are currently available, and the Operations Center to identify any specimen storage and shipment restrictions within the applicable protocol.

Following this initial review, the RAG coordinator will query the protocol team to confirm if all protocol testing has been completed for *POS-PAC* studies. At a minimum, consensus should be obtained from protocol chairs, LDMs, and statisticians. Once completion of protocol testing is confirmed for *POS-PAC* studies, and for all *Concluded* studies, if the protocol does not allow for long-term storage, the DMC will notify the CRSs that specimens must be destroyed. For protocols whereby long-term storage and future

testing are permissible, the RAG coordinator will generate a memorandum for IMPAACT Management Oversight Group (MOG) review. The MOG will determine if specimens, or a subset of specimens, should be transitioned to a centralized repository, destroyed, or remain locally at site laboratories. The RAG coordinator will distribute the MOG decision to the applicable protocol team members, including the DAIDS and NICHD medical officers, protocol chairs, statisticians, LDMs, and clinical research managers (CRMs). The DMC will notify applicable laboratories to facilitate destruction, shipment, or ongoing storage as per the MOG response. At this time the DMC will also notify laboratories to destroy specimens collected from participants who do not consent, or withdrew consent, for future use of specimens (i.e., for non-protocol specific testing). The DMC will monitor that the shipping and destruction are carried out. For studies that will archive specimens at the repositories, the Operations Center will submit an updated repository spreadsheet to the DMC, for the DMC to add to the Specimen Repository Website.

In addition, the necessity to destroy specimens may also be associated with any of the following:

- A CRS or laboratory is defunded or closing: The DMC will provide the CRS and/or laboratory with an inventory listing and instructions about which specimens need to be destroyed or shipped to a repository.
- Local laws or regulations limit the storage and use of specimens: It is the CRS's responsibility to track their own local laws and regulations, and to contact the study team and ILC when specimen destructions are required. Upon team or ILC approval, the CRS may contact the laboratories and repositories to request specimen destructions.
- A freezer failure or a thawed or otherwise compromised shipment: The CRS or laboratory shall communicate with the ILC and study team for approval to destroy compromised specimens.
- Specimens were collected outside the protocol requirements or without consent: The CRS shall contact the study team and ILC when specimen destructions are required due to a protocol deviation. Upon team or ILC approval, the CRS may contact the laboratories and repositories to request specimen destructions.

The PI of the laboratory or repository is responsible for ensuring that IMPAACT specimens are stored and ultimately destroyed in accordance with all IMPAACT Network and institutional policies, IRB/Ethics Committees (EC), any applicable local or country laws, and in a GCLP-compliant manner.

Laboratory/repository staff will check specimen inventories to ensure that the specimens are stored in the facility and will note and resolve any discrepancies such as specimen type, numbers, source protocol, etc., before destruction. Laboratory/repository staff will update LDMS to accurately reflect that specimens were destroyed, including removing the specimens from the storage module, assigning the appropriate condition (e.g., DSR code for destroyed), and adding comments to document the date, responsible staff, and reason for specimen destruction. Lastly, laboratory/repository staff will notify the DMC when the specimen destructions have been completed. The DMC will report status of specimen destruction to the RAG.

## 17.15 National Approval Requirements and Material Transfer Agreements

IMPAACT requires laboratories to obtain any required national approvals necessary for testing in support of IMPAACT protocols, including MTAs, STAs, and permits (when applicable to the site and protocol).

- MTAs between testing/end user **laboratories are the responsibility of the laboratory** organizations/institutions (e.g., Laboratory X in South Africa and Laboratory Y in Uganda). Final copies of the executed MTAs/STAs are filed at the testing laboratories/institutions and may be provided to the ILC (NIAID) or Westat (NICHD) for archiving.

- MTAs/STAs between site laboratories and the Network repositories, BRI (NIAID)/Fisher (NICHD), will be facilitated by the ILC (NIAID) and Westat (NICHD) for their respective laboratories. For NIAID sites, these MTAs should now be submitted through the MiMTA portal in MiLab for easier tracking of MTAs. The ILC (NIAID) and Westat (NICHD) review these documents to confirm that the specimen types and proposed testing for the respective protocol are accurate. MTAs between repository/shipping laboratories are the responsibility of the laboratory repositories/organizations/institutions. Final copies of the executed MTAs/STAs may be provided to the ILC (NIAID-supported sites) or Westat (NICHD-supported sites) for archiving.
- Use of BRI as a “pass through” to other laboratories is not allowed.

## 17.16 IMPAACT Quality Assessment Monitoring

Site laboratories, including specimen processing laboratories, are aligned with and chosen by the CTUs. The capabilities and performance of these laboratories are reviewed by the ILC (NIAID) or Westat (NICHD) to ensure regulatory compliance.

By law, all US (i.e., domestic) laboratories performing clinical testing must be CLIA certified or equivalent and are inspected every two years. Current certifications must be provided to the ILC (NIAID sites) or Westat (NICHD sites).

All laboratories outside of the US (i.e., non-US, international) are assessed continuously to ensure that they meet minimum standards for GCLP compliance as described at:

<https://www.niaid.nih.gov/research/daids-clinical-research-laboratory-specimens-management>

### 17.16.1 Laboratory Monitoring by DAIDS

DCLOT monitors and/or contractors (e.g., PPD) conduct routine audits of laboratories performing IMPAACT studies, usually on an annual basis. The DMC may provide the monitoring contractor with site-specific laboratory information to enable them to conduct expected monitoring of specimen processing and storage of study-specific archived specimens.


### 17.16.2 Laboratory Monitoring by IMPAACT

ILC (NIAID)/Westat (NICHD) personnel conduct periodic laboratory visits to assess the implementation of IMPAACT protocols and laboratory QC procedures, including proper maintenance of laboratory testing equipment and appropriate use of reagents. The purpose and scope of the visit are discussed with laboratory site personnel prior to the visit. Whether on site or centrally located, ILC (NIAID)/Westat (NICHD) staff work directly with IMPAACT site staff to address and resolve any QA/QC problems identified through proficiency testing or site visits or by the site during study preparation or implementation.

## 17.17 Introduction of Novel/Non-Standard Analytes into IMPAACT Studies

When a “non-standard” analyte is incorporated into an IMPAACT clinical trial, the ILC identifies and investigates potential laboratories that can perform the test, establishes the certification status of potential laboratories, determines the regulatory status of the analyte or test that is needed (FDA-approved or cleared), verifies whether the study is under an IND or not, and assures appropriate EQA. The ILC then works with DAIDS, DCLOT, and the appropriate EQA provider to bring the new tests on board. This process is outlined in Figure 17-6.

Figure 17-6. Process for Introducing a New Test/Assay



\*SPEED criteria: **S**afety, **P**articipant Management, **E**ligibility, **P**rimary **E**ndpoint, **D**iagnosis

All new assays and methods implemented for use with clinical specimens from IMPAACT trials must be validated and/or verified before being put into service. Decisions regarding the use of a new assay are made by protocol teams, Scientific Committees, IMPAACT Leadership and/or DAIDS. Once the need for a new assay has been identified and appropriate laboratories identified, the ILC oversees the process using standards set forth by DAIDS, CAP, CLIA, the Clinical and Laboratory Standards Institute (CLSI), and FDA.

The processes and procedures to bring on a new test depend on the type of “test system” being introduced. CLIA regulations recognize three types of test systems:

- 1) Test systems that are FDA-cleared or approved and run by the laboratory without modification,
- 2) Test systems that are FDA-cleared or approved and run after modification by the laboratory, and
- 3) Test systems that have not been subject to FDA clearance or approval. These tests are often referred to as Laboratory Developed Tests (LDTs).

Prior to testing clinical specimens, the testing laboratory using an unmodified FDA-approved or FDA-cleared test(s) must verify that test(s) perform(s) as expected by obtaining data on:

- Analytic accuracy
- Precision
- Reportable range (clinical reportable range and linearity)

DAIDS mandates the use of FDA-approved assays, and exceptions are evaluated on a case-by-case basis. Any tests that are not FDA-approved, or which have been modified, must be approved prior to use. CLIA does not define the term “modified,” but modifications are generally considered to include changes in test components (extraction, amplification, and/or detection), procedural parameters, assay cutoff values, specimen types or collection devices, etc.

If the new assay or test meets regulatory criteria for modified FDA-approved tests or for non-FDA cleared tests (e.g., LDT), the laboratory must perform a validation study. The validation study must establish the test’s:

- Accuracy
- Precision
- Analytical sensitivity (lower limit of target detection, as appropriate)
- Analytical specificity (including interfering substances)
- Reportable range of test results
- Reference intervals (normal values) and
- Efficiency or call rate for genotyping assays (for assays in which a large number of specimens are available)

These performance specifications are established through the following experiments:

- A comparison of methods experiment to estimate inaccuracy/bias (may include a recovery experiment) [accuracy]
- A replication experiment to estimate imprecision [precision]
- A linearity experiment to determine reportable range and lower limit of quantification (LLOQ) (for quantitative assays) [analytic sensitivity]
- A limit of detection experiment to estimate the lowest concentration that can be detected [analytic sensitivity]
- An interference experiment to determine constant interferences [analytic specificity]
- A reference value study to determine reference range(s) [reference interval] that is compliant with *ILC SOP PRJSTR 002 Establishment of Reference Ranges (Adult and Pediatric)*

The method selected for determining performance specification depends on the particular test method but must be scientifically defensible and should be based on methods employed by colleagues or as reported in the literature. The ILC proposes validation and verification study plans in consultation with DCLOT. Prior to initiating testing, the validation and/or verification reports must be approved by the ILC and DCLOT.

If no EQA program can be identified, a plan that meets study-specific regulatory requirements for proficiency testing is developed based on CLSI guidelines (GP29-A2 Vol. 28 No. 21) and submitted for approval.

## 17.18 Changes in Laboratory Personnel

IMPAACT requires that laboratories notify the Network of changes in key laboratory personnel. Key personnel include the Laboratory Director (usually an MD or PhD scientist, who reviews and signs all operating procedures and reports and is ultimately responsible for a laboratory's performance and capabilities) and Laboratory Manager/Supervisor (one or more persons responsible for overseeing daily laboratory operations, review and release of testing results, proficiency testing results, and writing laboratory SOPs). Other personnel that are critical contacts for IMPAACT should also be considered key personnel. If the Laboratory Director changes, the site should provide a signed and dated copy of the new Laboratory Director's CV.

In the event that key personnel are no longer associated with a laboratory, new key personnel are appointed, or key personnel roles change, an email needs to be sent to [impaact.qaqc@fstrf.org](mailto:impaact.qaqc@fstrf.org) and to the NICHD/Westat representative, if applicable, notifying them of this change. It is critical that the Network be aware at all times of the communication structure and appropriate contacts at each laboratory. The notification should include:

- The name of the key personnel who has either left or whose role has changed
- The effective date of the change and whether it is permanent or temporary
- Information about whom to contact during any transition period
- In the case of departure of key personnel, the name and contact information for their replacement

IMPAACT laboratories will also notify the DMC about personnel changes using the Submit Contact Changes utility available on the DMC portal (<https://www.frontierscience.org/IMPAACT/>).

## 17.19 Laboratory Relocation

IMPAACT requires that laboratories notify the Network of any laboratory relocations affecting IMPAACT testing (including equipment moves within the laboratory/inter-laboratory). If a laboratory plans to relocate, notification must be sent to DAIDS and the ILC (NIAID) or Westat (NICHD) before the move occurs and again once the move is complete:

- Notification should be sent to [impaact.qaqc@fstrf.org](mailto:impaact.qaqc@fstrf.org) and to the NICHD/Westat representative, if applicable.
- In addition, non-US laboratories are required to complete the Laboratory Relocation Planning Guide-Move Checklist, available on the pSMILE website:

<http://resources.psmile.org/resources/equipment/validation/Equ3.0-28%20Lab%20Relocation%20Planning%20Guide-Move%20Checklist.doc>

Please submit a copy of the relocation checklist to [impaact.qaqc@fstrf.org](mailto:impaact.qaqc@fstrf.org) and the NICHD/Westat representative, if applicable.

IMPAACT laboratories will notify the DMC about any address, phone, or email changes using the Submit Contact Changes utility available on the DMC portal (<https://www.frontierscience.org/IMPAACT/>).

## 17.20 Additional Resources

Websites for general information related to topics covered in this section, as well as those specifically cited in this section, are listed below.

### **General Information**

DAIDS and the US National Institutes of Health (NIH) have established specific requirements for laboratory processing and testing specimens from clinical trial participants enrolled in studies that are funded by DAIDS. The policy referenced above has specific requirements for both US and non-US laboratories which are as follows:

- US Laboratory Requirements: <https://www.niaid.nih.gov/research/daids-clinical-research-policies-us-labs>
- Non-US Laboratory Requirements: <https://www.niaid.nih.gov/research/daids-clinical-research-policies-non-us-labs>

Additional references and links are as follows:

- IMPAACT LC Resource Documents: <https://impaactnetwork.org/resources/lab-center/laboratory-guidance-documents>
- ACTG/IMPAACT Laboratory Manual: <https://www.hanc.info/labs/labresources/procedures/Pages/actgImpaactLabManual.aspx>
- HIV/AIDS Network Collaboration: <https://www.hanc.info/>
- LDMS Website: <https://www.ldms.org/>

### **Specimen Shipping, Shipping Materials, and Information**

- CDC Shipping Regulations: <http://www.cdc.gov/laboratory/specimen-submission/shipping-packing.html>
- US Postal Service: <http://www.usps.com>
- Saf-T-Pak: <https://inmarkinc.com/training-solutions/>
- CDC Office of Health and Safety – Biosafety: <https://www.cdc.gov/labs/BMBL.html>
- International Air Transport Association: <http://iata.org/index.htm>
- FedEx Dangerous Goods Shipping Seminars: <https://www.fedex.com/en-us/service-guide/dangerous-goods/resources.html>
- Dangerous Goods: <http://www.dangerousgoods.com>
- DHL: <http://www.dhl-usa.com/solutions/express.asp?nav=dhlExp>
- US Department of Transportation: <https://www.transportation.gov>
- US DOT/Transporting Infectious Substances Safely: <https://www.phmsa.dot.gov/transporting-infectious-substances/transporting-infectious-substances-overview>

### **Risk Group Assessments**

- American Biological Safety Association: <http://www.absa.org/>
- CDC Select Agent Listings and Regulations: <http://www.selectagents.gov/>

### **Other Resources**

USDA Plant and Animal Health Inspection Service: <http://www.aphis.usda.gov/permits/index.shtml>